






BURNISHING	ELECTROLYTIC GALV.	HOT DIP GALVANISING	NICKEL PLATING COATING	CHEMICAL NICKEL PLATING
TEMPERING	INDUCTION QUENCHING	OIL QUENCHING	CEMENTATION	
TRATTAMENTI SUPERFICIALI O TERMICI				
RAL 9010 - WHITE	RAL 2004 - ORANGE	RAL 9006 - ALLUMINIUM	RAL 6017 - GREEN	RAL 8011 - BROWN
RAL 1021 - YELLOW	RAL 5007 - BLUE	RAL 9011 - BLACK	RAL1021-YELLOW/RAL9011-BLACK	
VERNICIATURA				




FISSARE IN OPERA DOPO AVER ULTIMATO L'ASSEMBLAGGIO DEI CRASH, DEI PANNELLI INTERMEDI E DEL BUMPER


DETTAGLIO B

Pos.	Qty	Description	Dimension	Length	ID
8	1	SMA 100 SW-S-L No base			D56190100
7	1	Sheet for clousure guide			D44630002
6	1	Support angular			D42380008
5	1	Base for SMA 100 P (concrete)			D42370001-T1
4	1	TSEI SCREWS UNI 5933 10.9 A2	M3x8		3000019747
3	2	HEX SOCKET BUTTON HEAD SCREW UNI EN ISO 7380 PG 10.9 ZL	M8x10		3000019745
2	2	HEX SOCKET BUTTON HEAD SCREW UNI EN ISO 7380 PG 10.9 ZL	M10x20		3000019164
1	1	TAG NTAG213 Norm. - Type: N0581 Mat. -			3000018239

		B	Raffaele Ronca	24/07/2018	Raffaele Ronca	SOSTITUZIONE CELLE GREEN CON BROWN TERZA FILA
		C	Raffaele Ronca	09/08/2018	Raffaele Ronca	Aggiornato esponente di revisione per modifica sottoassenti
		A	Antimo Buccino	02/09/2017	Antimo Buccino	
		AUTHOR		DATE	APPROVAL	DESCRIPTION
		DESCRIPTION SMA - Safety Modular Absorber Crash Cushion SMA 100 SW-S-L Crash Cushion SMA 100 SW-S-L				
		NOT QUOTED CHAMFER: 1 x 45°			WEIGHT	
		NOT QUOTED FILLET: R 1			KG 1050.95	
		TOLERANCES ISO 8015 / UNI ISO 2768-mS			SCALE	
		DRAWING BY CAD 3D			1:10	
					SHEET / NUMBER	
					A1 / 1/2	
					DRAWING N.	
					D56190000	
					ESP.	
					C	

BURNISHING	ELECTROLYTIC GALV.	HOT DIP GALVANISING	NICKEL PLATING COATING	CHEMICAL NICKEL PLATING
TEMPERING	INDUCTION QUENCHING	OIL QUENCHING	CEMENTATION	
TRATTAMENTI SUPERFICIALI O TERMICI				
RAL 9010 - WHITE	RAL 2004 - ORANGE	RAL 9006 - ALLUMINIUM	RAL 6017 - GREEN	RAL 8011 - BROWN
RAL 1021 - YELLOW	RAL 5007 - BLUE	RAL 9011 - BLACK	RAL1021-YELLOW/RAL9011-BLACK	
VERNICIATURA				



 INDUSTRY AUTOMATION MANUFACTURING & SERVICE S.r.l. <small>CONSTRUCTION STANDARDS SURFACES CONDITION ACCORDING TO UNI ISO 3025/06. EXCEPT FOR PARTICULAR INDICATIONS.</small>	B	Raffaele Ronca	24/07/2018	Raffaele Ronca	SOSTITUZIONE CELLE GREEN CON BROWN TERZA FILA
	C	Raffaele Ronca	09/08/2018	Raffaele Ronca	Aggiornato esponente di revisione per modifica sottoassiemi
	A	Antimo Buccino	02/09/2017	Antimo Buccino	
	AUTHOR		DATE	APPROVAL	DESCRIPTION
DESCRIPTION SMA - Safety Modular Absorber Crash Cushion SMA 100 SW-S-L Crash Cushion SMA 100 SW-S-L					WEIGHT KG 1050.95 SCALE 1:10 SHEET / NUMBER A1 / 2/2
<small>NOT QUOTED CHAMFER: 1 x 45° NOT QUOTED FILLET: R 1 TOLERANCES ISO 8015 / UNI ISO 2768-mS DRAWING BY CAD 3D</small>					<small>THIS DRAWING IS INDUSTRY AMB S.r.l. CONFIDENTIAL PROPERTY (ARTICLE 17 OF 2017) IT IS FORBIDDEN TO REPRODUCE, TO USE, OR REPRODUCE OR COMMUNICATE THE DRAWING TO THIRD PARTS WITHOUT THE WRITTEN CONSENT OF THE COMPANY. INDUSTRY AMB S.r.l. PROTECTS ITS OWN RIGHTS ACCORDING TO LAW</small>
DRAWING N. D56190000 ESP. C					