






BURNISHING	ELECTROLYTIC GALV.	HOT DIP GALVANISING	NICKEL PLATING COATING	CHEMICAL NICKEL PLATING
TEMPERING	INDUCTION QUENCHING	OIL QUENCHING	CEMENTATION	
TRATTAMENTI SUPERFICIALI O TERMICI				
RAL 9010 - WHITE	RAL 2004 - ORANGE	RAL 9006 - ALLUMINIUM	RAL 6017 - GREEN	RAL 8011 - BROWN
RAL 1021 - YELLOW	RAL 5007 - BLUE	RAL 9011 - BLACK	RAL1021-YELLOW/RAL9011-BLACK	
VERNICIATURA				




FISSARE IN OPERA DOPO
AVER ULTIMATO L'ASSEMBLAGGIO
DEI CRASH, DEI PANNELLI
INTERMEDI E DEL BUMPER

DETTAGLIO B

Pos.	Q.ty	Description	Dimension	Length	ID
8	1	SMA 80 SW-L-R No base			D56260100
7	1	Sheet for clousure guide			D44630002
6	1	Support angular			D42380008
5	1	Base SMA 80			D42380001-T1
4	1	TSEI SCREWS UNI 5933 10.9 A2	M3x8		3000019747
3	2	HEX SOCKET BUTTON HEAD SCREW UNI EN ISO 7380 PG 10.9 ZL	M8x10		3000019745
2	2	HEX SOCKET BUTTON HEAD SCREW UNI EN ISO 7380 PG 10.9 ZL	M10x20		3000019164
1	1	TAG NTAG213 Norm. - Type: N0581 Mat. -			3000018239

AMS		INDUSTRY AUTOMATION MANUFACTURING & SERVICE S.R.L.																																																																						
CONSTRUCTION STANDARDS SURFACE CONDITION ACCORDING TO UNI ISO 3025:2006 EXCEPT FOR PARTICULAR INDICATIONS		NOT QUOTED CHAMFER: 1 x 45° NOT QUOTED FILLET: R 1																																																																						
TOLERANCES ISO 8015 / UNI ISO 2768-mS		INDUSTRY AREA S.p.A. PROTECT ITS OWN RIGHTS ACCORDING TO LAW																																																																						
DRAWING BY CAD 3D		DRAWING N. D56260000																																																																						
DESCRIPTION SMA - Safety Modular Absorber Crash Cushion SMA 80 SW-L-R Crash Cushion SMA 80 SW-L-R		WEIGHT KG 715.06 SCALE 1:10 SHEET / NUMBER A1 / 1/2																																																																						
<table border="1"> <tr> <th>Pos.</th> <th>Q.ty</th> <th>Description</th> <th>Dimension</th> <th>Length</th> <th>ID</th> </tr> <tr> <td>8</td> <td>1</td> <td>SMA 80 SW-L-R No base</td> <td></td> <td></td> <td>D56260100</td> </tr> <tr> <td>7</td> <td>1</td> <td>Sheet for clousure guide</td> <td></td> <td></td> <td>D44630002</td> </tr> <tr> <td>6</td> <td>1</td> <td>Support angular</td> <td></td> <td></td> <td>D42380008</td> </tr> <tr> <td>5</td> <td>1</td> <td>Base SMA 80</td> <td></td> <td></td> <td>D42380001-T1</td> </tr> <tr> <td>4</td> <td>1</td> <td>TSEI SCREWS UNI 5933 10.9 A2</td> <td>M3x8</td> <td></td> <td>3000019747</td> </tr> <tr> <td>3</td> <td>2</td> <td>HEX SOCKET BUTTON HEAD SCREW UNI EN ISO 7380 PG 10.9 ZL</td> <td>M8x10</td> <td></td> <td>3000019745</td> </tr> <tr> <td>2</td> <td>2</td> <td>HEX SOCKET BUTTON HEAD SCREW UNI EN ISO 7380 PG 10.9 ZL</td> <td>M10x20</td> <td></td> <td>3000019164</td> </tr> <tr> <td>1</td> <td>1</td> <td>TAG NTAG213 Norm. - Type: N0581 Mat. -</td> <td></td> <td></td> <td>3000018239</td> </tr> </table>		Pos.	Q.ty	Description	Dimension	Length	ID	8	1	SMA 80 SW-L-R No base			D56260100	7	1	Sheet for clousure guide			D44630002	6	1	Support angular			D42380008	5	1	Base SMA 80			D42380001-T1	4	1	TSEI SCREWS UNI 5933 10.9 A2	M3x8		3000019747	3	2	HEX SOCKET BUTTON HEAD SCREW UNI EN ISO 7380 PG 10.9 ZL	M8x10		3000019745	2	2	HEX SOCKET BUTTON HEAD SCREW UNI EN ISO 7380 PG 10.9 ZL	M10x20		3000019164	1	1	TAG NTAG213 Norm. - Type: N0581 Mat. -			3000018239	<table border="1"> <tr> <td>B</td> <td>Raffaele Ronca</td> <td>27/08/2018</td> <td>Raffaele Ronca</td> <td>Aggiornato esponente di revisione per modifica sottoassiem</td> </tr> <tr> <td>A</td> <td>Antimo Buccino</td> <td>04/09/2017</td> <td>Antimo Buccino</td> <td></td> </tr> <tr> <td colspan="2">AUTHOR</td> <td>DATE</td> <td>APPROVAL</td> <td>DESCRIPTION</td> </tr> </table>		B	Raffaele Ronca	27/08/2018	Raffaele Ronca	Aggiornato esponente di revisione per modifica sottoassiem	A	Antimo Buccino	04/09/2017	Antimo Buccino		AUTHOR		DATE	APPROVAL	DESCRIPTION
Pos.	Q.ty	Description	Dimension	Length	ID																																																																			
8	1	SMA 80 SW-L-R No base			D56260100																																																																			
7	1	Sheet for clousure guide			D44630002																																																																			
6	1	Support angular			D42380008																																																																			
5	1	Base SMA 80			D42380001-T1																																																																			
4	1	TSEI SCREWS UNI 5933 10.9 A2	M3x8		3000019747																																																																			
3	2	HEX SOCKET BUTTON HEAD SCREW UNI EN ISO 7380 PG 10.9 ZL	M8x10		3000019745																																																																			
2	2	HEX SOCKET BUTTON HEAD SCREW UNI EN ISO 7380 PG 10.9 ZL	M10x20		3000019164																																																																			
1	1	TAG NTAG213 Norm. - Type: N0581 Mat. -			3000018239																																																																			
B	Raffaele Ronca	27/08/2018	Raffaele Ronca	Aggiornato esponente di revisione per modifica sottoassiem																																																																				
A	Antimo Buccino	04/09/2017	Antimo Buccino																																																																					
AUTHOR		DATE	APPROVAL	DESCRIPTION																																																																				
INDUSTRY AREA S.p.A. PROTECT ITS OWN RIGHTS ACCORDING TO LAW		INDUSTRY AREA S.p.A. PROTECT ITS OWN RIGHTS ACCORDING TO LAW																																																																						

BURNISHING	ELECTROLYTIC GALV.	HOT DIP GALVANISING	NICKEL PLATING COATING	CHEMICAL NICKEL PLATING
TEMPERING	INDUCTION QUENCHING	OIL QUENCHING	CEMENTATION	
TRATTAMENTI SUPERFICIALI O TERMICI				
RAL 9010 - WHITE	RAL 2004 - ORANGE	RAL 9006 - ALLUMINIUM	RAL 6017 - GREEN	RAL 8011 - BROWN
RAL 1021 - YELLOW	RAL 5007 - BLUE	RAL 9011 - BLACK	RAL1021-YELLOW/RAL9011-BLACK	
VERNICIATURA				



AMS INDUSTRY AUTOMATION MANUFACTURING & SERVICE S.R.L.	B	Raffaele Ronca	27/08/2018	Raffaele Ronca	Aggiornato esponente di revisione per modifica sottoassiemi		
	A	Anilmo Buccino	04/09/2017	Anilmo Buccino			
		AUTHOR	DATE	APPROVAL	DESCRIPTION		
CONSTRUCTION STANDARDS CONSTRUCTION STANDARDS SURFACES CONDITION ACCORDING TO UNI ISO 3025:2004 EXCEPT FOR PARTICULAR INDICATIONS						DESCRIPTION	WEIGHT
NOT QUOTED CHAMFER: 1 x 45°						SMA - Safety Modular Absorber	KG 715.06
NOT QUOTED FILLET: R 1						Crash Cushion	SCALE
TOLERANCES ISO 8015 / UNI ISO 2768-mS						SMA 80 SW-L-R	1:10
DRAWING BY CAD 3D						Crash Cushion SMA 80 SW-L-R	SHEET / NUMBER
						Crash Cushion SMA 80 SW-L-R	A1 / 2/2
						DRAWING N.	ESP.
						D56260000	B